IDEA 1094 Copy 2 of 5

4 March 1963

MEMORANDUM FOR: Chief, Materiel Division, Office of Special Activities

SUBJECT

1 - EVD101

: U-2 Problems

25X1A2g

25X1A5a2

- 25X1A5a2
  - 2. It is not my purpose to beat you about the ears as being personally liable for all of these difficulties, but I do think we must tighten up our relationship with and make him painfully aware of those of the above problems which are his responsibility. Specifically I believe we need to press harder than we do on flight tests for the new generator/alternator and inverter problems, and I think we should certainly do something about the autopilot and its continuous history of malfunctions. From time to time everyone agrees that the autopilot is in need of support and redesign, but these conclusions are never reflected into action. Have we asked Lockheed for an ECP on this autopilot, and if so, have they responded?
  - 3. As far as Q-bay pressurization goes, about all that I am aware of in the way of improvement is that we are changing the seals faster than before. Is there some basic design problem here, or has the manufacturer, like the generator huilder, attempted to cut costs by substituting inferior materiels? I do not think we can let the kind of ineffectiveness we have had stand on the record without doing something about it. Will you please let me know what we can do in all of these areas.

25X1A9a

Deputy Assistant Director
(Special Activities)

## Sanitized - Approved For Release : CIA-RDP33-02415A000500030036-3

Distribution:  1 - MD/OSA  2 - DAD/OSA  3 - AD/OSA  4 - OD/OSA  - REFORM	(1899) se name parece. L'incling en american presentation 1901 le l'inclination de l'inclination
As tare an a shap process take to a series that way of iraprover out to the ten error and particles that we series the first of the series that we series th	្រុស ខេត្តនារាស្ត្រសាក្ស (សន្ទាក់ស្នាក់ ខេត្តនេះជា ) ប្រាស់ ទាល់ខេត្តស្នាក់ សមានសម្រាប់ស្នាក់ស្នេក (សមាន ) ប្រទេសពីទី ប្រទេស ស្នាក់ស្នាក់ស្នាក់ (សមាន )
Limited toward of the specific data , but is a control of the beat of the control of the but is a control of the specific data , but is a constant of the control of the co	<ul> <li>(1) (本語 ) (和語 )</li></ul>
control and revival at Co. 1911-19.  Carried and revival at Co. 1911-19.  Sixiy on appears speed in this distribute as a complete as a complete and resident and	មិនតិស្សា ខ្លាស់ ទៅ ស្រែក ស្រុក្ស ប្រុស្ស ប្រុស្ស ប្រុស្សថ្ងាស់ ស្រុក ស្រុក ប្រុស្ស ប្រុស្ស ប្រុស្ស ប្រុស្សថ្ងៃស្រុក ស្រុក ប្រុស្ស ប្រុស្ស ស្រុក ស្រុក ប្រុស្ស ស្រុក ស្រុក ស្រុក ប្រុស្ស ប្រុស្ស ស្រុក ស្រុក ស្រុក ប្រុស្ស ប្រុស្ស ស្រុក ស្រុក ប្រុស្ស ស្រុក ស្រុក ស្រុក ស្រុ
ing to disself to the control of the second of the control of the	
ार्गार्थक्षित्र को है अन्ति <b>श्रीक्षा</b> ं के प्रतिकार के विकास के विकास है कि स्वास के कि	er hang graft i hang i li bar a Turker graft i kalang ing ber

Sanitized - Approved For Release : CIA-RDP33-02415A000500030036-3